





OUR SERVICES

We provide technical support and consultancy services before selling any lighting solution to our esteemed clients based on their requirements and budget. We customize our solutions to diversiPed application areas including but not limited to the following





LED OUTDOOR

Production Description:

- Outdoor General Lighting
- Aluminium Housing with High Power LEDs
- IP 65

APPLICATION:

- Outdoor Lighting
- Homes
- Industries





Product Specifications:

Housing	Aluminium	
Wattage	10W	
Input	AC 120-270V, 50HZ	
Lumen output	120-130 lm/w	
Power factor	>0.9	
Led used	Epistar / Edison	
Colour	CW/WW/NW	
CRI	>80	
Types	Discrete Model	









LED BULB

Production Description:

- Outdoor General Lighting
- Aluminium Housing with High Power LEDs
- IP 65



- Outdoor Lighting
- Homes
- Industries
- School
- hospitals





Product Specifications:

Housing	Aluminium
Wattage	6W/10W/15W/30
Input	AC 120-270V, 50HZ
Lumen output	120-130 lm/w
Power factor	>0.9
Led used	Epistar / Edison
Colour	CW/WW/NW
CRI	>80
Types	led bulb







LED T LIGHT

Production Description:

- Outdoor General Lighting
- Aluminium Housing with High Power LEDs
- IP 65

APPLICATION:

- Outdoor Lighting
- Homes
- Industries
- School
- hospitals

Product Specifications:

Housing	Aluminium
Wattage	6W/10W/15W/30
Input	AC 120-270V, 50HZ
Lumen output	120-130 lm/w
Power factor	>0.9
Led used	Epistar / Edison
Colour	CW/WW/NW
CRI	>80
Types	led bulb







EDISON STRING LIGHT

Production Description:

- BrightFill LED Filament saves upto 90 % energy in comparison with ordinary Incandescent Lamp
- Saves upto 90 % energy in comparison nearest Incandescent bulb.
 Omni Directional Light (Beam Angle > 300 %)



- Outdoor Lighting
- Homes
- Garden

Product Specifications:

4	Housing	Aluminium
4	Wattage	6W/10W/15W/30
4	Input	AC 120-270V, 50HZ
	Lumen output	120-130 lm/w
4	Power factor	>0.9
4	Led used	Epistar / Edison
	Colour	CW/WW/NW
4	CRI	>80
4	Types	String









COB GARDEN SPIKE LIGHT

Production Description:

- Aluminium Housing for better Heat Dissipation
- Best quality COB CHIP inside.
- Architectural Light
- IP 65

APPLICATION:

- Outdoor Lighting
- Architectural Lighting
- Lighting up Garden and Trees



Product Specifications:

4	Housing	Aluminium	
4	Wattage	5W/10W/12W/15W	
4	Input	AC 120-270V, 50HZ	
	Lumen output	120-130 lm/w	
4	Power factor	>0.9	
4	Led used	Epistar / Edison	
	Colour	CW/WW/NW	
4	CRI	>80	
4	Types	COB Series	









COB FOCUS LIGHT SERIES

Production Description:

- Aluminium Housing for better Heat Dissipation
- Best quality COB CHIP inside.
- High CRI LED (>80) for true colours

APPLICATION:

- Retail Outlets
- Showroom
- Display Zones





Product Specifications:

	Housing	Aluminium	
1	Wattage	10W/20W/30W/40W	
	Input	AC 120-270V, 50HZ	
	Lumen output	120-130 lm/w	
	Power factor	>0.9	
	Led used	Epistar / Edison	
1	Colour	CW/WW/NW	
	CRI	>80	
	Types	COB Series	
	The second secon		







LED HIGH BAY UFO DISCRETE

Production Description:

- Pressure Die Cast Aluminium housing used.
- UFO Model for new look.
- High Power LED used for bright light



APPLICATION:

- Industries
- Warehouses
- Godowns and Sheds

Product Specifications:













RETROFIT T5/T8/PLL

Production Description:

- High Brightness.
- Aluminium Profile for better Heat-dissipation.
- Long Life.
- Low Power Consumption compared to conventional lamps
- No infrared rays, no ultraviolet radiation, no thermal effect.
- Instant start, no flickering, no humming, no RF interference.
- Maintenance-free & Easy installation (bypass existing ballast and you are done)

APPLICATION:

- IKitchen
- Study Room
- Waiting Room
- Office
- Basement

Product Specifications:

4	Housing	Aluminium
	Wattage	9W/18W/20W/28W
	Input	AC 120-270V, 50HZ
4	Lumen output	130-150 lm/w
4	Power factor	>0.9
	Led used	Edison
4	Colour	CW/WW/NW
4	CRI	>80
4	Types	T5/T8/2G11(PLL)







LED BATTENS

Production Description:

- Aluminium Profile Battens for general use.
- High Brightness and wider spread
- Better Heat-dissipation.
- Long Life
- Low Power Consumption and does not contain mercury.
- No infrared rays, no ultraviolet radiation, no thermal effect.
- Instant start, no flickering, no humming, no RF interference.
- Maintenance-free & Easy installation.



APPLICATION:

- Kitchen
- Study Room
- Waiting Room
- Office
- Basement

Product Specifications:

Housing	Aluminium	
Wattage	9W/18W/20W/28W	
Input	AC 120-270V, 50HZ	
Lumen output	130-150 lm/w	
Power factor	>0.9	
Led used	Edison	
Colour	CW/WW/NW	
CRI	>80	
Types	T5/T8/2G11(PLL	







LED RECESS PANELS

Production Description:

- Slim design for better esthetics.
- Milky Diffuser for uniform lighting.
- Aluminium housing for better heat dissipation
- External Driver for easy maintenance.
- Instant start with immediate normal brightness levels

APPLICATION:

- Hospitals
- Showroom
- Waiting Room
- Office
- Retail Outlets

Product Specifications:

Aluminium	Housing
3W/6W/9W/12W/15W/20W/24W	Wattage
AC 85-270V, 50HZ	Input
120-130 lm/w	Lumen output
>0.9	Power factor
Epistar/Edison	Led used
CW/WW/NW	Colour
>80	CRI
Sidelit (Aluminium)	Types







LED COB

Production Description:

- High Power COB Downlighter for more bright light.
- Industrial grade aluminium housing for better Heat-dissipation.
- Instant start, no flickering, no humming, no RF interference.
- External Driver for ease maintenance.
- Instant start



APPLICATION:

- Hospitals
- Showroom
- Waiting Room
- Office
- Retail Outlets

	Housing	Aluminium	
	Wattage	3W/5W/10W/15W/20W/30W	
	Input	AC 85-270V, 50HZ	
	Lumen output	120-130 lm/w	
	Power factor	>0.9	
	Led used	Epistar/Edison	
	Colour	CW/WW/NW	
1	CRI	>80	
	Reflector	Diamond Reflector for focus output	t







DOWNLIGHTER

Production Description:

- High Power COB Downlighter for more bright light.
- Industrial grade aluminium housing for better Heat-dissipation.
- Instant start, no flickering, no humming, no RF interference.
- External Driver for ease maintenance.
- Instant start

Product Specifications:

APPLICATION:

- Hospitals
- Showroom
- Waiting Room
- Office
- Retail Outlets

1	Housing	Aluminium
	Wattage	3W/5W/10W/15W/20W/30W
	Input	AC 85-270V, 50HZ
	Lumen output	120-130 lm/w
	Power factor	>0.9
	Led used	Epistar/Edison
	Colour	CW/WW/NW
1	CRI	>80
	Reflector	Diamond Reflector for focus output







LED STRIPS

Production Description:

- Available in both IP 20 & IP 65.
- 12 V DC Operation, Strips can be cut into Led segments.
- Available in Cool White, Neutral White and Warm White.
- Also available in Red, Blue, Green & RGB
- Constant Voltage Drivers (12V)
- 24V also available on order ba



APPLICATION:

- Cove Lighting
- Wedding Hall
- Home
- Offices

Product Specifications:

Strip	Flexible with Adnesive Tape
Wattage	36W/60W/100W/180W/240W
Input	AC 130-265V, 50HZ
Lumen output	100-120 lm/w
Power factor	>0.9
Led used	Epistar / Edison
Colour	CW/WW/NW/RGB
Driver	Constant Voltage (12V)
Current	3A/5A/8.3A/15A/20A







LED STREET LIGHT COBD

Production Description:

- High power LED used.
- Lens used for better light distribution.
- Pressure Die Cast Aluminium Housings
- IP Rating: IP 65

APPLICATION:

- Roads
- Outdoor lighting for industry
- Periphery of Offices and Malls
- Play Ground





3 4 4 4 A

B B B B B

(D) (D) (D) (D) (D)









LED FLOOD LIGHT COBD

Production Description:

- High power LED used.
- Designed for better light distribution pattern.
- Pressure Die Cast Aluminium Housing Used
- Diamond Reflector for wide spread and less light loss

APPLICATION:

- Roads
- Outdoor lighting for industry
- Periphery of Offices and Malls
- Play Ground

Product Specifications:



•		
Housing	Aluminium	
Wattage	30W/50/100W/150W/200W	
Input	AC 120-270V, 50HZ	
Lumen output	120-130 lm/w	
Power factor	>0.9	
Led used	Epistar / Edison	
Colour	CW/WW/NW	
CRI	>80	
Туре	Pressure Die Cast	









COMPANY PROFILE

Jio LED is one of the fastest growing LED Lights Manufacturing, trading and Marketing brand. Came into existence and started its business in the year 2020. Jio Lights, is considered to be one of the leading, suppliers, wholesalers and traders of a wide assortment of LED Bulbs, All LED Lights and Allied Products.

OUR MISSION

To engross our diverse competencies and perspectives to garner benefits and to imprint a mark in the hearts of customers, employeesand the society by working cohesively as one to meet commitments and challenges.

OUR VISION

Our vision is to emerge as one of the finest LED Lighting solution providers following the principles of professionalism, ethical values and being accountable for our own actions and decisions.

VOCAL FOR LOCAL

iJio Lights prides its strong management team and has set aggressive goals for expansion in various parts of India for contributing in Lighting the Nation.





CONTACT DETAIL +91 129 – 4040682

CARE@JIOLIGHTS.COM RPS, SAVANA, SECTOR 88 FARIDABAD





MICRO, SMALL & MEDIUM ENTERPRISES



